Meydan

Turkish marble, checked against your samples before the container is sealed.

For US importers and distributors.
We buy from the mill and sell
to you under our own name.

You approve the range. We check the load.

Company presentation · October 2026



Photo: Atlantic Gray, a polished slab at the mill.

THE PROBLEM

When a container doesn’t match the samples you approved, the cost lands in your yard.

Shade and veining outside the range

A floor that shows two lots once it’s installed, and a claim from your customer.

Calibration and thickness off

Installer time and lippage on site.

Crates that fail in transit

Broken pieces and a freight claim to chase.

Documents that don’t match the crates

A slow check-in at your yard and questions from your broker.

Each of these is on our checklist at the mill (page 8).

HOW WE WORK


You approve the range. We check the load.

You approve range samples
Typically three or four pieces per selection, lightest to darkest, under our own label. We keep the approved range samples.

We check the load at the mill
Before the container is sealed, against your samples and the tolerances written into your quote. The check is part of our price.

Documents match the goods
Commercial invoice, packing list and certificate of origin, written from what is in the crates.

Pieces outside your approved range don’t ship.



Polished Atlantic Gray pieces at the mill.

WHO YOU BUY FROM

We buy from the mill and sell to you under our own name.

The contract, the invoice and the bill of lading are ours, so you have one counterparty for the whole container.

We sell to importers, distributors and fabricators. We never sell to your customers. If a homeowner or an installer finds us, we send them to a US distributor.

Türkiye was the third largest supplier of natural stone to the US in 2025, at $385 million.

Source: Turkish Ministry of Trade, US Natural Stone Market Report (May 2026), citing USITC DataWeb. The figure is for Türkiye as a whole.

Istanbul office
Furkan Barış, Managing Director · Mustafa Gedik, Export Manager

Photo: Sawing a marble block at the mill.



Four marbles: two lead stones and two beiges



Cream

MB-CR

Light cream to pale greige with soft clouds and fine darker veins; a dense dolomitic marble. Cream is our own name for it.



Atlantic Gray

MB-AG

Warm light gray with a network of fine white veins and darker gray clouds. Also quoted as slabs and cut-to-size.

Akhisar Beige

MB-AB

Warm light-to-mid beige with a soft, cloudy pattern; calm over large areas.

Shown as a tone chip; photographs and range samples on request.

Diana Royal

MB-DR

Beige with fine, lively veining. Sold in the US under this name.

Shown as a tone chip; photographs and range samples on request.

Select and Standard grades, defined on catalog page 4. Atlantic Gray, Akhisar Beige and Diana Royal are trade names cut by several mills. Each stone has its own page in the catalog, pages 5 to 8.

Facades, steps, pools and floors

Cladding, steps, stepping stones and custom pieces are cut to the project. Tile, pavers and coping also come in standard US sizes.



Facade cladding

Panels in fixed or free lengths, laid horizontally or vertically.




Stairs and steps

Treads cut to the stair, for indoor and outdoor stairs.




Pools and coping

Coping with a rounded edge, pool walls and the deck around the pool.



Stepping stones

Garden paths laid straight, staggered or zigzag.



Tile and pavers

Floor and wall tile; pavers for terraces and paths.



Grooves and profiles

Grooved bands, edge profiles and custom pieces cut on CNC.


Stairs, pools and stepping stones: photographs supplied by the mill. Cladding, tile and grooves: photographed at the mill on our visit in October 2026.

Standard US sizes, and anything else cut to order

FORM	SIZES	THICKNESS	FINISH AND EDGE
Tile TL	12 × 12, 12 × 24, 18 × 18, 24 × 24 in	½ in (12 mm); ⅜ in (10 mm) for 12 × 12	Honed or polished; straight or micro-beveled edge
Pavers and coping PV · PX · CP	12 × 24, 16 × 24, 24 × 24 in; coping 12 × 24 in	1¼ in (30 mm) and 2 in (50 mm)	Sandblasted or leathered; coping bullnose on one long side
Steps, ledger, mosaics ST · LD · MS	Steps cut to your schedule; ledger 6 × 24 in panels; mosaics on request	Steps ¾ in and 2 in; ledger about ¾ to 1 in; mosaics ⅜ in	Steps honed or polished; ledger sandblasted, split face on request

Item code = stone code + form code: MB-AG-TL is Atlantic Gray tile. PV is the 1¼ in paver, PX the 2 in paver, CP coping. Every size, thickness and edge is in the catalog, pages 11 and 12; the quote names the finish.

Tile sizes in inches, to scale



Finishes, shown on Cream

Finish texture shown; color varies with light and lot.



Polished
Indoors



Brushed
Indoors and out



Grooved
Outdoors



Bush-hammered
Outdoors

All eight finish names
Polished · Honed · Brushed · Leathered · Sandblasted · Bush-hammered · Grooved · Split face


THE CHECK

Nine checks before the container is sealed

Someone from our side, or an independent inspector we appoint under a confidentiality agreement, checks the goods at the mill. Each check is against the tolerances written into your quote.

1 Selection against your approved range samples
2 Calibration and thickness
3 Squareness and edge condition
4 Finish consistency across the lot
5 Fills and repairs on the face, against the grade
6 Crate construction and strapping
7 Quantity against the packing list
8 Your crate marks and item codes, matching the documents
9 ISPM-15 mark on every crate

You receive photographs of the goods, the crates and the loaded container with every shipment; the report format is on page 13. Your own inspector can attend once the non-circumvention agreement that covers a mill visit is in place.



The nine checks, numbered as in the list.

Documents written from what’s in the crates

The commercial invoice, the packing list and the certificate of origin match the goods line by line, so your yard can check the container in and your broker files from the same numbers.

Packing list

Item code, size, finish, lot, pieces, square feet (linear feet for coping) and pounds for every crate. The format is on page 14.

Crates

Wooden crates on pallets, strapped and corner-protected. The ISPM-15 mark is photographed on every crate.

Your marks

Your crate marks and item codes on request; private-label packing is part of the order.

HS codes

6802.91 for worked marble; pavers can enter under 6801. Your broker confirms the line.

Damage on arrival: photograph it before unloading, keep the crates and the packing list, and tell us in writing the same day. A packing failure is ours: we replace or credit the affected goods. Who carries other damage depends on where it happened.

CRATE LABEL, SAMPLE

ITEM	MB-AG-TL
DESCRIPTION	Atlantic Gray tile 12 × 24 × ½ in, honed, micro-bevel
GRADE	Select
LOT	AG-26-114
CRATE	3 of 11
PIECES / SQ FT	240 / 480
NET / GROSS	3,185 / 3,340 lb
PO	[Your PO no.]
ORIGIN	Made in Turkey

QUESTIONS IMPORTERS ASK

Five answers before you order

What if pieces fall outside the range?

They don’t ship. We pull and replace them before the container is sealed. If that would move the sailing date past the one in your quote, you choose: wait, take the item at a price agreed in writing, or drop it from the order and get its share of the deposit back.

Why won’t you name the mill?

Finding mills, checking them and keeping the quality consistent is what you pay us for. You get the material, the origin region, the test data where it exists and photographs of your own crates.

More answers: meydanbuilding.com/faq

Do you have test reports?

Name the standard your project calls for. If a report exists, we commission the test in our own name at an independent laboratory or share the existing report under a confidentiality agreement. If none exists, we tell you what testing would cost and how long it would take.

How does payment work?

The usual structure in this trade is a deposit on order confirmation with the balance against shipping documents, or a letter of credit for larger volumes. Each quote states the exact terms.

When will I know the dates?

Production at the mill, then ocean transit. The quote gives both as dates, so you can pre-sell against the sailing date.

Start with range samples, then one container

Order size

One 20 ft container. Sizes and finishes from one mill mix easily; the practical minimum per item is one crate.

Loading and freight

FOB İzmir or Mersin by default; CIF or DAP to your US port if you want us to book the freight. Quoted in US dollars.

Stock

No stock in the US; every order is produced or picked to order.



Loading from İzmir or Mersin; CIF and DAP quotes to the Gulf, the East Coast and the West Coast.

Range samples

Samples of standard items are free. Typically three or four pieces per selection, lightest to darkest: around 6 × 6 in for tile and a 6 × 12 in piece for pavers and coping, under our own label, with current-lot photographs.



NEXT STEP

Tell us which two marbles fit your line. We send the range samples.

Request range samples

We reply within one business day, Türkiye time (UTC+3).

Scan for the catalog

For a price, send us:

1. Stone and grade, or a photo of what you stock now
2. Form, size and thickness
3. Finish and edge
4. Quantity in square feet, square meters or containers; coping and treads in linear feet
5. Your port or yard, and when you need it

Mustafa Gedik
Export Manager
WhatsApp +90 541 712 97 05
export@meydanbuilding.com

Furkan Barış
Managing Director
meydanbuilding.com

Barbaros Mah., Lale Sok.
Agaoglu My Office No: 2, Office 13
34634 Atasehir / Istanbul
Türkiye

You approve the range. We check the load.

Photo: Block yard at the mill, October 2026.

SAMPLE FORMAT · RANGE CHECK REPORT

Range check before sealing

Sample format. The values are illustrative and do not describe an actual shipment.

ORDER	[Your PO no.] · Meydan order [no.]	**PLACE**	At the mill, the marble districts of western Anatolia
QUOTE	[Quote no.], with its tolerances and sampling basis	**CHECKED BY**	[Name], Meydan Building Materials, or an independent inspector we appoint
CONTAINER	1 × 20 ft · [Container no.] · Seal [no.]	**REFERENCE**	Range samples R-AG-1 to 4 (Atlantic Gray tile) and R-CR-1 to 3 (Cream pavers and coping), approved [date] and kept by us for this check.

#	CHECK	CHECKED AGAINST	RESULT	NOTE
1	**Selection against the approved range samples**	R-AG-1 to 4, R-CR-1 to 3; grade as quoted	Pass after pull	14 pieces of MB-AG-TL darker than R-AG-4 pulled and replaced from the same lot, then checked again
2	**Calibration and thickness**	Tolerances in the quote	Pass	Measured on the sampling basis in the quote
3	**Squareness and edge condition**	Tolerances in the quote; micro-bevel on tile	Pass	
4	**Finish consistency across the lot**	Honed tile; sandblasted pavers and coping	Pass	
5	**Fills and repairs on the face**	Select: none on the face; Standard: as the grade allows	Pass	
6	**Crate construction and strapping**	Wooden crates on pallets, strapped, corners protected	Pass	
7	**Quantity against the packing list**	Packing list [no.]	Pass	11 crates
8	**Crate marks and item codes**	Your marks; codes as on the documents	Pass	
9	**ISPM-15 mark on every crate**	Mark visible on each crate	Pass	Photographed

Approved for sealing: [Name] · [date and time]. Sailing date unchanged.
Sent on the day of loading: each item, each crate with its ISPM-15 mark, the loaded container and the seal number.

SAMPLE FORMAT · PACKING LIST

Packing list

Sample format. The values are illustrative and do not describe an actual shipment.

EXPORTER	[Registered company name], trading as Meydan Building Materials, Istanbul, Türkiye	**CONTAINER**	1 × 20 ft · [Container no.] · Seal [no.]
CONSIGNEE	[Your company], [City, State]	**TERMS**	FOB İzmir, Incoterms 2020 · Port of discharge [your US port]
NOTIFY	[Your customs broker]	**ORIGIN**	Turkey; crates marked Made in Turkey
ORDER	PO [no.] · Invoice [no.]		

ITEM	DESCRIPTION	LOT	CRATES	PIECES	QUANTITY
MB-AG-TL	Atlantic Gray tile, 12 × 24 × ½ in (12 mm), honed, micro-bevel, Select	AG-26-114	1–5	1,160	2,320 sq ft
MB-CR-PV	Cream pavers, 16 × 24 × 1¼ in (30 mm), sandblasted, Standard	CR-26-121	6–9	270	720 sq ft
MB-CR-CP	Cream pool coping, 12 × 24 × 1¼ in (30 mm), bullnose on one long side, sandblasted, Standard	CR-26-121	10–11	168	336 lin ft

CRATE	ITEM	LOT	PIECES	QUANTITY	NET LB	NET KG	GROSS LB	GROSS KG
1	MB-AG-TL	AG-26-114	240	480 sq ft	3,185	1,445	3,340	1,515
2	MB-AG-TL	AG-26-114	240	480 sq ft	3,185	1,445	3,340	1,515
3	MB-AG-TL	AG-26-114	240	480 sq ft	3,185	1,445	3,340	1,515
4	MB-AG-TL	AG-26-114	240	480 sq ft	3,185	1,445	3,340	1,515
5	MB-AG-TL	AG-26-114	200	400 sq ft	2,655	1,204	2,810	1,274
6	MB-CR-PV	CR-26-121	72	192 sq ft	3,185	1,445	3,340	1,515
7	MB-CR-PV	CR-26-121	72	192 sq ft	3,185	1,445	3,340	1,515
8	MB-CR-PV	CR-26-121	72	192 sq ft	3,185	1,445	3,340	1,515
9	MB-CR-PV	CR-26-121	54	144 sq ft	2,390	1,084	2,545	1,154
10	MB-CR-CP	CR-26-121	96	192 lin ft	3,185	1,445	3,340	1,515
11	MB-CR-CP	CR-26-121	72	144 lin ft	2,390	1,084	2,545	1,154
Total	**11 crates**		**1,598**		**32,915**	**14,932**	**34,620**	**15,702**

Every crate carries your marks, its item code and its lot number. All wood packaging is ISPM-15 marked. HS codes for your broker: 6802.91 for tile and coping; pavers 6801 or 6802.91, as your broker classifies them. Gross cargo weight is under 38,000 lb, the usual limit on a standard US chassis.